

INSPECTION REPORT

Pre-Shipment Inspection

Report No.: H-XXXX

INSPECTION INFORMATION		
Client	XXXX	
Supplier	XXXX	
Factory	XXXX	
P.O. NO.	XXXX	
Inspection Instruction	GWI-G-JX-037-HQT.	
Inspection Date	XXXX	
Inspection Location	XXXX	

PRODUCT INFORMATION			
Product Description:	GASOLINE GENERATORS		
Model No.:	PG 3000		
Dimension (L \times H \times W):	60x42.5x43.5cm	Serial Number:	N/A
Date of Production:	N/A	Power Supply:	GASOLINE





INSPECTION RESULT SUMMARY			
Category	Conform	Not Conform	Pending
1.Quantity & Packing Condition	X		
2. Visual Check			Χ
3.Specification & Document Check			Χ
4.Field Test			X
OVERALL CONCLUSION PENDING for client's evaluation			
Final Decision	ion Client has the final decision to reject or approve		


Approved by HQTS Supervisor:

This report reflects the facts as recorded by HQTS at the time and place of inspection. It does not relieve the manufacturers from their contractual obligations nor prejudice client's right for compensation for any apparent and/or hidden defects not detected during our random inspection or occurring thereafter.

Doc No.: IRP-G-JX-354-HQT Page 1 of 16

SPECIAL ATTENTION POINTS

Discrepancy was found for instruction manual between actually found and client's spec, details as below photos:





- 2 Actually found the color of instruction manual was black instead of multicolor as stated on client's spec.
- Discrepancy was found for gasoline generator between actually found and client's photo, details as below photos:



- 4 The factory could not provide the quality certificates for the entire machinery during the inspection.
- 5 Some data was out of spec, details refer to data table highlighted in red.

INSPECTION SUMMARY			
CHECK POINTS	RESULT	COMMENT	
1. Quantity & Packing Condition			
The required machine(s) and/or parts available on inspection spot			
Spare Parts and Accessories	Conform		
STORAGE CONDITIONS were satisfactory	Conform		
The EXPORT PACKING was seen	Conform		
The EXPORT PACKING ADEQUATE	Conform		
Outer packing condition	Conform	Pls refer to attached photos	

Doc No.: IRP-G-JX-354-HQT Page 2 of 16

Inner packing condition	Conform	Pls refer to attached photos
Packing material	Conform	Corrugated Case
2. Visual Inspection	COLIIOIIII	Confugated Case
•		
2.1 Appearance Free of rust, scratch, abrasion mark, bump, Press mark, damage, crack, broken, split, Oxidation, deformation, sharp edge, sharp corner, flash, spur and dent.	Pending	Scratch mark on housing-mi Scratch mark on top of frame-mi
Free of Color deviation, deformation, warpage, twist, Flow mark, Short shot, Shrinkage, Weld line, White mark, white texture	Conform	Scratch mark on top of frame-mi
Corrosion, Lebris, Organic substances, Oil Contamination, Dust,	Conform	
Painting is good condition, without peeling off, air bubble, impurity inside, discovering etc.	Conform	
2.2 Warning sign		
Movable Components, Mechanical Hazard, Electric Hazard, Thermal Hazard, Chemical Hazard.	Conform	
2.3 Emergency Stop		
Efficiency, Sign Label, Convenience of Operation	Conform	
2.4 Name plate		
Date of Production, Identity NO.	Pending	Not found
Power supply; manufacturer, Supplier or distributor name	Pending	Not found
Product description; Model No.	Conform	
3. Specification & Document Check		
Order information	Conform	
Product specification	Pending	Refer to SAP-1, 2 and 3
Instruction manual Introduction and Maintenance Manual in both the	Conform	

Doc No.: IRP-G-JX-354-HQT Page 3 of 16

import country and the export country's language, Diagram		
Quality Certificates for the entire machinery.	Pending	The factory could not provide the quality certificates for the entire machinery during the inspection.
Self-exam record Ex-factory Test Report, Imported Material or Components Test Report, On-site Check Record	Conform	
Client's Comment Check		
Can you switch on some generators?	Conform	
4. Field Test		
4.1 Assembly Check		
Construction	Conform	
Physical Damage, Stability, Reliability, Enabling Device, Protection Device	Conform	
Major components	Conform	
Energy Supply, Cooling System, Lubrication System, Pneumatic System	Conform	
Transmission System	Conform	
Belt, Chain, Gear, Pulley	Conform	
Electronic and Electric parts	Conform	
Insulation, Wiring, Required Components, Switch	Conform	
4.2 Operation and Function		
Sensing the operation	Conform	
Sound, Smoke, Vibration, Rattle, Smell, Engagement of gear, Heat	Conform	
Functional operation	Conform	
Designed Functions, Protective functions, Synchronization and consistency	Conform	
Monitor and indicator	Conform	
Information Readability, Correctness of signal translation	Conform	
Imitative trial	Conform	
A Practical Imitation under a permit of the manufacturer. Agreement and Arrangement in advance.	Conform	
Check and evaluate the produced product according the specification or general requirement	Conform	

Data table			
Checking Item	Specification	Result	
Carton dimension (cm) +/-5%	-	61x45x45	
Carton gross weight (kg) +/-10%	-	36.34	
Product dimension (cm)	-	60x42.5x43.5, 60x42.5x43.5, 60x42.5x43.5, 60x42.5x43.5, 60x42.5x43.5	
Product weight (kg)	-	34.18, 34.04, 34.22, 34.14, 34.20	

Doc No.: IRP-G-JX-354-HQT Page 4 of 16

Rational speed (RPM)	<u>-</u>	3130~3160
Output voltage check (V)	220	224.5~227.9
Rated power check (W)	2400	2003~2086
Max power check (W)	3000	2237~2298
	Sticker size check	
Specificat	ion	Result
222*93mm		
ВКЛ Ном Макс	ризальная мощность 2,4 кВт имальная мощность 3 кВт ное выходное напряжение 220 В может предоставляющей в предоставляюще	225x95mm, 225x95mm, 225x95mm, 225x95mm, 225x95mm
248*96mm Переменный ток ~ 220 В ВЫКЛЮЧАТЕЛЬ СЕТИ ВЫКЛ	Ный ток 0 В Постоянный ток ток о В Стату в за на	243x95mm, 243x95mm, 243x95mm, 243x95mm, 243x95mm
	IIII	
FAVOURITE 5EH	ІЗИНОВЫЙ ГЕНЕРАТОР	38x3.8cm, 38x3.8cm, 38x3.8cm, 38x3.8cm
38x3.8c	m	
НЕ КУРИТЬ ПРИ ЗАПРА НЕ ЗАЛИВАТЬ БЕНЗИН ВБЛИ	11x4cm, 11x4cm, 11x4cm, 11x4cm, 11x4cm	
ПРОЛИТЫЙ БЕНЗИН ИЛИ МАС		
КАТЕГОРИЧЕСКИ ЗАПРЕЩАЕТСЯ ЗАПУСКАТЬ ДВИГАТЕЛЬ В ЗАКРЫТОМ ПОМЕЩЕНИИ		
11x4cm	1	
3x3cm Building		3x3cm, 3x3cm, 3x3cm, 3x3cm, 3x3cm

Doc No.: IRP-G-JX-354-HQT Page 5 of 16



Doc No.: IRP-G-JX-354-HQT Page 6 of 16




Doc No.: IRP-G-JX-354-HQT Page 7 of 16

5 side mark 2


4 side mark 1



Doc No.: IRP-G-JX-354-HQT Page 8 of 16



Doc No.: IRP-G-JX-354-HQT Page 9 of 16



Doc No.: IRP-G-JX-354-HQT Page 10 of 16




Doc No.: IRP-G-JX-354-HQT Page 11 of 16



Doc No.: IRP-G-JX-354-HQT Page 12 of 16



Doc No.: IRP-G-JX-354-HQT Page 13 of 16



Doc No.: IRP-G-JX-354-HQT Page 14 of 16



Doc No.: IRP-G-JX-354-HQT Page 15 of 16



Doc No.: IRP-G-JX-354-HQT Page 16 of 16